

KR Grade AH32,KR Grade DH32,KR Grade FH32,KR Grade EH32

shipbuilding steel plate and sheet

KR Grade AH32,KR Grade DH32,KR Grade EH32 and KR Grade FH32 shipbuilding steel plate under KR rule.all the grades owned minimum 315Mpa yield strength and different impacting test temperatures.For **KR Grade FH32**,it shall be less Carbon contains as maximum 0.16%,and N is 0.009%.For giving you a clear knowledge of these grades,now we list the following comparasion table:

Property Data:

Grade		KR Grade AH32	KR Grade DH32	KR Grade EH32	KR Grade FH32
Chemical Composition % ≤	C	0.18	0.18	0.18	0.16
	Mn	0.90-1.60	0.90-1.60	0.90-1.60	0.90-1.60
	Si	0.10-0.50	0.10-0.50	0.10-0.50	0.10-0.50
	P	0.035	0.035	0.035	0.025
	S	0.035	0.035	0.035	0.025
	Al (acid) ≥	0.015	0.015	0.015	0.015
	Nb	0.02-0.05	0.02-0.05	0.02-0.05	0.02-0.05
	V	0.05-0.10	0.05-0.10	0.05-0.10	0.05-0.10
	Ti	0.02	0.02	0.02	0.02
	Cu	0.35	0.35	0.35	0.35
	Cr	0.20	0.20	0.20	0.20
	Ni	0.40	0.40	0.40	0.80
	Mo	0.08	0.08	0.08	0.08
N				0.009	
Tensile Strength (Mpa) ≥		440-590	440-590	440-590	440-590

Find more details of shipbuilding steel plate KR Grade AH32,KR Grade DH32,KR Grade EH32,KR Grade FH32 from YUSHENG IRON AND STEEL CO.,LTD

Yield Strength (Mpa) \geq	315	315	315	315
Mark on steel plate	KR/AH32	KR/DH32	KR/EH32	KR/FH32

Inquiring for Shipbuilding steel plate **KR Grade AH32, KR Grade DH32, KR Grade EH32 and KR Grade FH32** from YUSHENG IRON AND STEEL CO.,LTD which is the best shipbuilding steel supplier in China.



宇盛钢铁有限公司
YUSHENG IRON AND STEEL CO.,LTD
TEL:0086-371-60380543 FAX:0086-371-60380542
Email:inquiry@ysteelplate.com Web: <http://www.ysteelplate.com>

Find more details of shipbuilding steel plate KR Grade AH32, KR Grade DH32, KR Grade EH32, KR Grade FH32 from YUSHENG IRON AND STEEL CO.,LTD