

KR Grade AH36,KR Grade DH36,KR GRADE EH36,KR Grade FH36 shipbuilding Steel plate and sheet

TMCP heat treatment KR Grade AH36,KR Grade DH36,KR Grade EH36 and KR Grade FH36 shipbuilding steel plate mainly done Z15,Z25 and Z35 test for providing its property in steel plates.Other relative grades are KR Grade A,KR Grade B,kr Grade D,kr Grade E,KR Grade AH32,KR Grade DH32,KR Grade EH32,KR Grade FH32,KR Grade AH40,KR Grade DH40,KR Grade EH40,KR Grade FH40.For the details of these steel grades are in the following comparasion table:

Property Data:

Grade		KR Grade AH36	KR Grade DH36	KR Grade EH36	KR Grade FH36
Chemical Composition % ≤	C	0.18	0.18	0.18	0.16
	Mn	0.90-1.60	0.90-1.60	0.90-1.60	0.90-1.60
	Si	0.10-0.50	0.10-0.50	0.10-0.50	0.10-0.50
	P	0.035	0.035	0.035	0.025
	S	0.035	0.035	0.035	0.025
	Al (acid) ≥	0.015	0.015	0.015	0.015
	Nb	0.02-0.05	0.02-0.05	0.02-0.05	0.02-0.05
	V	0.05-0.10	0.05-0.10	0.05-0.10	0.05-0.10
	Ti	0.02	0.02	0.02	0.02
	Cu	0.35	0.35	0.35	0.35
	Cr	0.20	0.20	0.20	0.20
	Ni	0.40	0.40	0.40	0.80
	Mo	0.08	0.08	0.08	0.08
N				0.009	

Find more details of shipbuilding steel plate KR Grade AH36,KR Grade DH36,KR Grade EH36,KR Grade FH36 from YUSHENG IRON AND STEEL CO.,LTD

Tensile Strength (Mpa) \geq	490-620	490-620	490-620	490-620
Yield Strength (Mpa) \geq	355	355	355	355
Mark on steel plate	KR/AH36	KR/DH36	KR/EH36	KR/FH36

KR Grade AH36, KR Grade DH36, KR grade EH36 and KR grade FH36 shipbuilding steel plate under TMCP or Normalized heat treatment, Contact us for a valued quotation and more technical information by today.



宇盛钢铁有限公司
YUSHENG IRON AND STEEL CO., LTD
TEL: 0086-371-60380543 FAX: 0086-371-60380542
Email: inquiry@ysteelplate.com Web: <http://www.ysteelplate.com>

Find more details of shipbuilding steel plate KR Grade AH36, KR Grade DH36, KR Grade EH36, KR Grade FH36 from YUSHENG IRON AND STEEL CO., LTD